



The Zamac Nail-in is a nail drive anchor which has a body formed from Zamac alloy. Nail-ins are available in Stainless Steel or Galvanized (Carbon). The anchor can be used in concrete, block, brick, or stone. 1/4" Nail-ins are used with 1/4" drill bits, which should be drilled into the base material at least 1/4" deeper than the required embedment.

**QUANTITY:**

DRAWINGS FOR ILLUSTRATIVE PURPOSES ONLY

<p><b>MATERIAL CONFORMANCE:</b>          New Billet—Intermediate Grade          Minimum Yield Strength 60,000 lbs. psi          Minimum Tensile Strength 90,000 lbs. psi          Grade 60</p> <p><b>ASTM Standards</b>          Nail Plating:          ASTM B633, SC1, Type III (Fe/Zn 5)</p>	<p><b>FINISHES:</b>  <input type="checkbox"/> Galvanized                      <input type="checkbox"/> Stainless Steel</p> <p><b>SIZES:</b></p> <table border="0"> <tr> <td><input type="checkbox"/> 1/4" x 1"</td> <td><input type="checkbox"/> 1/4" x 1-1/4"</td> <td><input type="checkbox"/> 1/4" x 1-1/2"</td> </tr> <tr> <td><input type="checkbox"/> 1/4" x 2"</td> <td><input type="checkbox"/> 1/4" x 3"</td> <td><input type="checkbox"/> 1/4" x 4"</td> </tr> </table>	<input type="checkbox"/> 1/4" x 1"	<input type="checkbox"/> 1/4" x 1-1/4"	<input type="checkbox"/> 1/4" x 1-1/2"	<input type="checkbox"/> 1/4" x 2"	<input type="checkbox"/> 1/4" x 3"	<input type="checkbox"/> 1/4" x 4"
<input type="checkbox"/> 1/4" x 1"	<input type="checkbox"/> 1/4" x 1-1/4"	<input type="checkbox"/> 1/4" x 1-1/2"					
<input type="checkbox"/> 1/4" x 2"	<input type="checkbox"/> 1/4" x 3"	<input type="checkbox"/> 1/4" x 4"					

<p><b>PROJECT NAME:</b></p> <p><b>LOCATION:</b></p> <p><b>NOTES:</b></p>	<p><b>CONTACT INFO</b></p> <p><b>Name :</b></p> <p><b>Company:</b></p> <p><b>Phone:</b>                      <b>FAX:</b></p> <p><b>Email:</b></p>
--	---

The appropriate selection and use of any product contained herein must be determined by competent architects, engineers and other professionals who are familiar with the specific requirements of the project.